VOLUME 2

Appendices

TABLE OF CONTENTS

APPENDIX 1	(REV.WRC-12) Classification of emissions and necessary bandwidths		
APPENDIX 2	(REV.WRC-03) Table of transmitter frequency tolerances		
APPENDIX 3	(REV.WRC-12) Maximum permitted power levels for unwanted emissions in the spurious domain	1	
	ANNEX 1 Determination of the boundary between the out-of- band and spurious domains	2	
APPENDIX 4	(REV.WRC-15) Consolidated list and tables of characteristics for use in the application of the procedures of Chapter III	2	
	ANNEX 1 Characteristics of stations in the terrestrial services	2	
	ANNEX 2 Characteristics of satellite networks, earth stations or radio astronomy stations	6	
APPENDIX 5	(REV.WRC-15) Identification of administrations with which coordination is to be effected or agreement sought under the provisions of Article 9	10	
	ANNEX 1	12	
APPENDIX 7	(REV.WRC-15) Methods for the determination of the coordination area around an earth station in frequency bands between 100 MHz and 105 GHz		
	ANNEX 1 Determination of the required distance for propagation mode (1)	16	
	ANNEX 2 Determination of the required distance for propagation mode (2)	17	
	ANNEX 3 Antenna gain towards the horizon for an earth station operating with a geostationary space station	18	

	ANNEX 4	Antenna gain toward the horizon for an earth station operating with non-geostationary space stations	189	
	ANNEX 5	Determination of the coordination area for a transmitting earth station with respect to receiving earth stations operating with geostationary space stations in bidirectionally allocated frequency bands.	194	
	ANNEX 6	Supplementary and auxiliary contours	199	
	ANNEX 7	System parameters and predetermined coordination distances for determination of the coordination area around an earth station	211	
APPENDIX 8	(REV.WRC-15) Method of calculation for determining if coordination is required between geostationary-satellite networks sharing the same frequency bands			
	ANNEX 1	Calculation of the topocentric angular separation between two geostationary satellites	236	
	ANNEX 2	Calculation of the free-space transmission loss	237	
	ANNEX 3	Radiation patterns for earth station antennas to be used when they are not published	238	
	ANNEX 4	Example of an application of Appendix 8	239	
APPENDIX 9	Report of an irregularity or infringement			
APPENDIX 10	(REV.WRC-07) Report of harmful interference		247	
APPENDIX 11	(REV.WRC-03) System specifications for double-sideband (DSB), single-sideband (SSB) and digitally modulated emissions in the HF broadcasting service		249	
APPENDIX 12	Special rules	applicable to radiobeacons	255	
APPENDIX 14	(REV.WRC-0	07) Phonetic alphabet and figure code	257	
APPENDIX 15	(REV.WRC- for the Globa	 Frequencies for distress and safety communications Maritime Distress and Safety System (GMDSS) 	259	

Page

Page	
------	--

APPENDIX 16	(REV.WRC-07) Documents with which stations on board ships and aircraft shall be provided		
APPENDIX 17	(REV.WRC- high-frequen	15) Frequencies and channelling arrangements in the cy bands for the maritime mobile service	265
	ANNEX 1	Frequencies and channelling arrangements in the high-frequency bands for the maritime mobile service, in force until 31 December 2016	266
	ANNEX 2	Frequency and channelling arrangements in the high- frequency bands for the maritime mobile service, which enter into force on 1 January 2017	295
APPENDIX 18	(REV.WRC-15) Table of transmitting frequencies in the VHF maritime mobile band		
APPENDIX 25	(REV.WRC-03) Provisions and associated frequency allotment Plan for coast radiotelephone stations operating in the exclusive maritime mobile bands between 4 000 kHz and 27 500 kHz		331
APPENDIX 26	(REV.WRC- Plan for the a exclusively to	15) Provisions and associated Frequency Allotment aeronautical mobile (OR) service in the bands allocated to that service between 3 025 kHz and 18 030 kHz	367
APPENDIX 27	(REV.WRC-12) Frequency allotment Plan for the aeronautical mobile (R) service and related information		
APPENDIX 30	(REV.WRC-15) Provisions for all services and associated Pla List for the broadcasting-satellite service in the frequency 11.7-12.2 GHz (in Region 3), 11.7-12.5 GHz (in Region 12.2-12.7 GHz (in Region 2)		
	ANNEX 1	Limits for determining whether a service of an administration is affected by a proposed modification to the Region 2 Plan or by a proposed new or modified assignment in the Regions 1 and 3 List or when it is necessary under this Appendix to seek the agreement of any other administration	557
	ANNEX 2	Basic characteristics to be furnished in notices relating to space stations in the broadcasting-satellite service	562

	ANNEX 3	Method for determining the limiting interfering power flux-density at the edge of a broadcasting- satellite service area in the frequency bands 11.7-12.2 GHz (in Region 3), 11.7-12.5 GHz (in Region 1) and 12.2-12.7 GHz (in Region 2), and for calculating the power flux-density produced in these bands by a terrestrial station, or by a transmitting earth station in the fixed-satellite service in the band 12.5-12.7 GHz	562	
	ANNEX 4	Need for coordination of a transmitting space station in the fixed-satellite service or in the broadcasting- satellite service where this service is not subject to a Plan: in Region 2 (11.7-12.2 GHz) with respect to the Plan, the List or proposed new or modified assignments in the List for Regions 1 and 3; in Region 1 (12.5-12.7 GHz) and in Region 3 (12.2-12.7 GHz) with respect to the Plan or proposed modifications to the Plan in Region 2; in Region 3 (12.2-12.5 GHz) with respect to the Plan, List or proposed new or modified assignments in the List for Region 1	572	
	ANNEX 5	Technical data used in establishing the provisions and associated Plans and the Regions 1 and 3 List, which should be used for their application	574	
	ANNEX 6	Criteria for sharing between services	610	
	ANNEX 7	Orbital position limitations	616	
30A	(REV.WRC-15) Provisions and associated Plans and List for feeder links for the broadcasting-satellite service (11.7-12.5 GHz in Region 1, 12.2-12.7 GHz in Region 2 and 11.7-12.2 GHz in Region 3) in the frequency bands 14.5-14.8 GHz and 17.3-18.1 GHz in Regions 1 and 3, and 17.3-17.8 GHz in Region 2			
	ANNEX 1	Limits for determining whether a service of an administration is considered to be affected by a proposed modification to the Region 2 feeder-link Plan or by a proposed new or modified assignment in the Regions 1 and 3 feeder-link List or when it is necessary under this Appendix to seek the agreement of any other administration	711	

APPENDIX

	ANNEX 2	Basic characteristics to be furnished in notices relating to feeder-link stations in the fixed-satellite service operating in the frequency bands 14.5-14.8 GHz and 17.3-18.1 GHz	714
	ANNEX 3	Technical data used in establishing the provisions and associated Plans and Regions 1 and 3 feeder-link List, which should be used for their application	714
	ANNEX 4	Criteria for sharing between services	754
APPENDIX 30B	(REV.WRC-1 satellite serv 6 725-7 02: 12.75-13.25 (15) Provisions and associated Plan for the fixed-ice in the frequency bands 4 500-4 800 MHz, 5 MHz, 10.70-10.95 GHz, 11.2-11.45 GHz and GHz. 	757
	ANNEX 1	Parameters used in characterizing the fixed-satellite service allotment Plan	782
	ANNEX 2	(SUP - WRC-07)	
	ANNEX 3	Limits applicable to submissions received under Article 6 or Article 7	786
	ANNEX 4	Criteria for determining whether an allotment or an assignment is considered to be affected	787
	APPENDIX	1 TO ANNEX 4 Method for determination of the overall single-entry and aggregate carrier-to- interference value averaged over the necessary bandwidth of the modulated carrier	788
	APPENDIX	2 TO ANNEX 4 Method for determination of the carrier-to-noise (C/N) values	791
	ANNEX 5	(SUP - WRC-07)	
	ANNEX 6	(SUP - WRC-07)	
APPENDIX 42	(REV.WRC-1 call sign serie	15) Table of allocation of international s	793